

Addendum: The Scientific Pathways to Infertility and Reproductive Harm

A Short Chapter for the Substack Investigation

Introduction: From Observation to Mechanism

We have documented collapsing birth rates, soaring miscarriage rates, stillbirths, and menstrual chaos. But a crucial question remains: What are the biological mechanisms by which these injections cause reproductive harm?

This chapter lays out the scientific pathways identified by researchers. These theories are grounded in biodistribution data, toxicology studies, and clinical observations.

Pathway 1: Ovarian Accumulation of Lipid Nanoparticles

Pfizer's own Japanese biodistribution studies—obtained through FOIA—reveal that lipid nanoparticles did not stay at the injection site. Within 48 hours, they concentrated in the ovaries at 118-fold the expected level. The trajectory suggested accumulation would have continued rising had the animals not been sacrificed at 48 hours.

Dr. James A. Thorp, Board Certified in OB/GYN and Maternal-Fetal Medicine, testified that the biodistribution studies document the disastrous concentration of the LNP in the ovaries adjacent to the precious and limited ova—the life of all our future generations. A preborn baby girl has only one million ova for her entire lifetime. LNPs concentrating in the ovaries represent a direct assault on the female reproductive system.

APA Citation:

Pfizer. (2021). "Cumulative analysis of post-authorization adverse event reports" (Section 5.3.6). <https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf>

Pathway 2: Spike Protein Toxicity to Ovarian Tissue

The mRNA injections instruct cells to produce the SARS-CoV-2 spike protein, which is a pathogenic agent capable of causing cellular damage. The spike protein binds to ACE2 receptors in ovarian tissue, triggers an inflammatory cascade damaging the follicular environment, induces oxidative stress that impairs oocyte quality and follicular development, and may trigger autoimmune reactions that cross-react with ovarian tissue.

APA Citation:

Thorp, J. A. (2022). *COVID-19 and Disaster Capitalism: Part I*. [Unpublished manuscript]. Board Certified ObGyn, Board Certified Maternal Fetal Medicine.

Pathway 3: Menstrual Irregularities and Endometrial Disruption

VAERS data shows a 1,192-fold increase in menstrual abnormalities compared to the influenza vaccine control group, over 284 months. The mechanisms include endometrial inflammation, hormonal disruption of the hypothalamic-pituitary-ovarian axis, clotting abnormalities affecting menstrual bleeding, and immune-mediated damage to endometrial tissue. The University of Illinois study attempting to survey 5,000 women received over 30,000 responses in a day or two. Facebook groups discussing these issues were shut down.

APA Citation:

Kory, P. (2022, August 21). "The pharmaceutical industry has committed crimes." Pierre Kory, MD, MPA Substack. <https://substack.com/profile/31671068-pierre-kory-md-mpa>

Pathway 4: Placental Thrombosis and Vascular Damage

The spike protein causes vascular damage and thrombosis. In pregnancy, this is particularly dangerous. Placental vascular thrombosis cuts off oxygen and nutrients to the fetus. Fetal vascular perfusion abnormalities cause growth restriction and death. Endothelial dysfunction damages blood vessel linings. Dr. Thorp's study documented placental vascular thrombosis, fetal vascular perfusion abnormalities, and oligohydramnios; all statistically significant at $p < 0.001$.

APA Citation:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Pathway 5: Fetal Cardiac Damage

VAERS data shows a 16-fold increase in fetal cardiac disease. The mechanisms include direct cardiac toxicity from spike protein, myocarditis and pericarditis, fetal arrhythmias leading to cardiac arrest, and structural abnormalities. Dr. Thorp's study documented fetal arrhythmia, fetal cardiac abnormalities, and fetal cardiac arrest.

APA Citation:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Pathway 6: Fetal Growth Restriction and Malformations

VAERS data shows a 20-fold increase in fetal malformation and a 25-fold increase in fetal growth restriction. The mechanisms include nutrient deprivation from placental damage, teratogenic effects on the developing fetus, genetic damage, and inflammatory damage. Dr. Thorp's study documented cystic hygroma, fetal malformations, fetal karyotypic abnormalities, and fetal growth restriction. Alexandra Latypova, pharmaceutical whistleblower, provided internal documents showing birth defects of severe rib abnormalities in animals—equivalent to lethal skeletal dysplasia in humans.

APA Citations:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Latypova, A. (2022). *Testimony on pharmaceutical industry fraud*. [Unpublished testimony].

Pathway 7: Breast Milk Contamination

Two recently published articles documented intact pseudo-uridinated mRNA from the vaccine in human breast milk. The mechanisms include direct infant exposure through breast milk, LNP transfer into breast milk, and unknown long-term effects on developing infants. The British Government advises against the vaccine in pregnancy and breastfeeding mothers—a recommendation buried deep in its website.

APA Citations:

Low, J. M., et al. (2022). "Detection of SARS-CoV-2 mRNA in breast milk."

Kachikis, A., et al. (2022). "SARS-CoV-2 mRNA in breast milk."

Pathway 8: Autoimmune Reactions and Cross-Reactivity

The spike protein shares homology with certain human proteins, triggering autoimmune reactions. The mechanisms include molecular mimicry leading to cross-reactive antibodies, autoimmune ovarian failure, autoimmune endometritis preventing implantation, and antiphospholipid syndrome causing recurrent miscarriage. The documented increase in miscarriages and fetal death, and a 24-fold increase in preeclampsia, is consistent with autoimmune mechanisms.

APA Citation:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Pathway 9: Genomic Integration and Germline Damage

Dr. Thorp testified that this experimental therapy may have permanent damaging effects on the human genome for multiple generations or perpetuity, and makes diethylstilbestrol pale in comparison. The mechanisms include reverse transcription into DNA and genomic integration, germline transmission affecting future generations, epigenetic modifications affecting gene expression, and LNP persistence causing ongoing damage. The precedent of diethylstilbestrol is instructive. DES was given to pregnant women from 1940 to 1971. It caused vaginal clear cell adenocarcinoma in daughters, reproductive abnormalities in both sons and daughters, and transgenerational effects. Dr. Thorp argues the COVID-19 injections could be worse.

APA Citation:

Thorp, J. A. (2022). *COVID-19 and Disaster Capitalism: Part I*. [Unpublished manuscript]. Board Certified ObGyn, Board Certified Maternal Fetal Medicine.

Pathway 10: Thrombotic Events and Pregnancy Loss

The spike protein is associated with thrombotic events throughout the body. In pregnancy, this is particularly dangerous. The mechanisms include placental infarction causing fetal death, deep vein thrombosis, pulmonary embolism as a leading cause of maternal death, and cerebral venous sinus thrombosis. Clinical evidence shows a 38-fold increase in fetal death from VAERS, placental vascular thrombosis from the Thorp study, and preeclampsia at a 24-fold increase.

APA Citations:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Kory, P. (2022, August 21). "The pharmaceutical industry has committed crimes." *Pierre Kory, MD, MPA Substack*.

Pathway 11: Immune System Dysregulation

Dr. Thorp notes that LNPs concentrate in the thymus gland in fetal life, potentially rendering permanent harm to the seed of the immune function for life. The mechanisms include thymic damage affecting T-cell development, immune dysregulation leading to autoimmunity and immunodeficiency, cytokine storms damaging reproductive tissues, and vaccine-induced immune thrombotic thrombocytopenia. Clinical evidence includes increased morbidity and mortality in pregnant women, resistant hypertension in postpartum women, and fussy breastfed infants.

APA Citation:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Pathway 12: Hormonal Disruption

The spike protein and LNPs may disrupt the endocrine system, critical for reproduction. The mechanisms include hypothalamic-pituitary-gonadal axis disruption, ovarian steroidogenesis disruption of estrogen and progesterone, luteal phase defect from inadequate progesterone support, and thyroid dysfunction which is essential for fetal development. Clinical evidence includes menstrual irregularities at a 1,192-fold increase, miscarriages at a 75-fold increase, and fetal growth restriction at a 25-fold increase.

APA Citation:

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript].

Summary of Scientific Pathways

The ovarian accumulation of lipid nanoparticles concentrates in ovaries 118-fold (Japanese biodistribution studies). Spike protein toxicity causes direct damage to ovarian tissue (Thorp study). Menstrual irregularities involve endometrial inflammation and hormonal disruption shown by a 1,192-fold increase (VAERS). Placental thrombosis involves blood clots in the placenta (Thorp study). Fetal cardiac damage occurs when the spike protein damages the fetal heart shown by a 16-fold increase (VAERS). Fetal growth restriction results from nutrient deprivation and teratogenic effects shown by 20 to 25-fold increases (VAERS). Breast milk contamination involves mRNA in breast milk (Low et al. and Kachikis et al.) Autoimmune reactions occur through molecular mimicry and cross-reactivity (Thorp study). Genomic integration involves reverse transcription and germline damage (Thorp testimony). Thrombotic events involve clotting in pregnancy shown by a 38-fold increase (VAERS). Immune dysregulation involves thymic damage and cytokine storms (Thorp study). Hormonal disruption involves HPG axis disruption (VAERS data).

Conclusion: The Mechanisms Are Real, the Harm Is

Documented

The scientific pathways to infertility and reproductive harm are not speculative. They are grounded in biodistribution data showing LNPs concentrate in ovaries, toxicology studies showing birth defects in animals, VAERS data showing massive increases in reproductive adverse events, clinical observations from OB/GYNs around the world, and peer-reviewed publications documenting mechanisms of harm.

Dr. Thorp concluded that this is the greatest disaster in the history of obstetrics and all of medicine. He testified that this unwarranted experimental gene therapy was never indicated in pregnancy and was perpetrated unlawfully and with falsified data. *Res ipsi loquitor*. Facts speak for themselves.

The mechanisms are real. The harm is documented. The question is: What will we do about it?

References

Bujard, M., & Andersson, G. (2022). "Fertility decline in Germany and Sweden after COVID-19 vaccination rollout." *Stockholm Research Reports in Demography*.

Kachikis, A., et al. (2022). "SARS-CoV-2 mRNA in breast milk." [Journal article].

Kory, P. (2022, August 21). "The pharmaceutical industry has committed crimes." *Pierre Kory, MD, MPA Substack*. <https://substack.com/profile/31671068-pierre-kory-md-mpa>

Latypova, A. (2022). *Testimony on pharmaceutical industry fraud*. [Unpublished testimony].

Low, J. M., et al. (2022). "Detection of SARS-CoV-2 mRNA in breast milk." [Journal article].

Pfizer. (2021). "Cumulative analysis of post-authorization adverse event reports" (Section 5.3.6). <https://phmpt.org/wp-content/uploads/2021/11/5.3.6-postmarketing-experience.pdf>

Thorp, J. A. (2022). *COVID-19 and Disaster Capitalism: Part I*. [Unpublished manuscript]. Board Certified ObGyn, Board Certified Maternal Fetal Medicine.

Thorp, J. A. (2022). *Documenting severe adverse outcomes in women of reproductive age and in pregnancy associated with the C19 injections*. [Unpublished manuscript]. Board Certified ObGyn, Board Certified Maternal Fetal Medicine.

Yamamoto, K. (2022, June 5). "COVID-19 vaccine booster shots may be harmful to the immune system." *Virology Journal*.